

KANENZO WOODEN COMPOSITE TECHNICAL SPECIFICATION


SIDING 450

Material: Wooden Composite Siding made of High Density


Polyethylene (HDPE) and Wood Sawdust

Product Dimensions: Width: 450mm
Height: 15mm
Length: 3m-6m

Appearance:



- Wooden Composite Siding 450 product is composed of at least 60% wood sawdust, 30% HDPE (high density polyethylene), 10% binder and additives.
- Siding 450 dimensions will be; Width; 450mm, Height; 15mm and Length will be variable between 3m and 6m.
- Interior structure is composed of 9 masts 3 of which will be main masts. Distance between masts will be 43.47mm ($\pm 5\%$) in width and 10mm ($\pm 5\%$) in height for resistance.
- Upper surface thickness of siding 450 profile will be 5,00mm ($\pm 5\%$).
- Siding system is composed of 5 parts; Siding 450, Frame, Interior-Exterior corner profile and Interconnection Profile.
- Siding 450 has a single surface and installed by attaching to each other. Seal should be used in order to avoid vibration and rear retainer profile should be used to increase resistance.
- Frame Profile; Width; 50mm, Height; 30mm and Length; 3m.



- Dimensions of Rear Retainer Profile Width; 40mm, Height; 4mm and Length; 3m. - Interconnection Profile Width; 70mm, Height; 24,5mm, Length; 3m. – Interior-Exterior Corner Connection Profile Width; 40mm, Height; 40mm, Length; 3m.
- Our products are resistant to outdoor weather conditions, they do not shred, get mossed or splinter and they are antibacterial.
- Our products can be recycled and do not contain carcinogen plastic and addition materials.